

UoDSU



disclaimer

Article:

Cardillo A, Scellato S, Latora V, Porta S (2006), Structural properties of planar graphs of urban street patterns, «Physical Review E», 73, 066107.

Disclaimer:

This paper not necessarily reflects the final definitive publication: it might be a pre-copy-editing or a post-print author-produced .pdf or in any case a different version of that. Therefore the reader is advised to refer to the publishing house's archive system for the original authenticated version of this paper.

Structural properties of planar graphs of urban street patterns

Alessio Cardillo,¹ Salvatore Scellato,² Vito Latora,¹ and Sergio Porta³¹*Dipartimento di Fisica e Astronomia, Università di Catania, and INFN Sezione di Catania, Via S. Sofia 64, 95123 Catania, Italy*²*Scuola Superiore di Catania, Via S. Paolo 73, 95123 Catania, Italy*³*Dipartimento di Progettazione dell'Architettura, Politecnico di Milano, Via Durando 10, 20168 Milano, Italy*

(Received 9 November 2005; published 7 June 2006)

Recent theoretical and empirical studies have focused on the structural properties of complex relational networks in social, biological, and technological systems. Here we study the basic properties of twenty 1-square-mile samples of street patterns of different world cities. Samples are turned into spatial valued graphs. In such graphs, the nodes are embedded in the two-dimensional plane and represent street intersections, the edges represent streets, and the edge values are equal to the street lengths. We evaluate the local properties of the graphs by measuring the meshedness coefficient and counting short cycles (of three, four, and five edges), and the global properties by measuring global efficiency and cost. We also consider, as extreme cases, minimal spanning trees (MST) and greedy triangulations (GT) induced by the same spatial distribution of nodes. The measures found in the real and the artificial networks are then compared. Surprisingly, cities of the same class, e.g., grid-iron or medieval, exhibit roughly similar properties. The correlation between *a priori* known classes and statistical properties is illustrated in a plot of relative efficiency vs cost.

DOI: [10.1103/PhysRevE.73.066107](https://doi.org/10.1103/PhysRevE.73.066107)

PACS number(s): 89.75.Fb, 89.75.-k, 89.90.+n

I. INTRODUCTION

During the last decade, the growing availability of large databases, the increasing computing powers, as well as the development of reliable data analysis tools, have constituted a better machinery to explore the topological properties of several complex networks from the real world [1–4]. This has allowed us to study a large variety of systems as diverse as social, biological, and technological. The main outcome of this activity has been to reveal that, despite the inherent differences, most of the real networks are characterized by the same topological properties, as for instance relatively small characteristic path lengths and high clustering coefficients (the so called *small-world property*) [5,6], *scale-free* degree distributions [7], degree correlations [8], and the presence of motifs [9], and community structures [10]. All such features make real networks radically different from regular lattices and random graphs, the standard topologies usually used in modeling and computer simulations. This has led to large attention towards the comprehension of the evolution mechanisms that have shaped the topology of a real network, and to the design of new models retaining the most significant properties observed empirically.

Spatial networks are a special class of complex networks whose nodes are embedded in a two- or three-dimensional Euclidean space and whose edges do not define relations in an abstract space (such as in networks of acquaintances or collaborations between individuals), but are real physical connections [4]. Typical examples include neural networks [11], information/communication networks [12,13], electric power grids [14], and transportation systems ranging from river [15], to airport [16,17], and street [18] networks. Most of the works in the literature, with a few relevant exceptions [12,19,20], have focused on the characterization of the topological properties of spatial networks, while the spatial aspect has received less attention, when not neglected at all. However, it is not surprising that the topology of such sys-

tems is strongly constrained by their spatial embedding. For instance, there is a cost to pay for the existence of long-range connections in a spatial network, this having important consequences on the possibility to observe a small-world behavior. Moreover, the number of edges that can be connected to a single node is often limited by the scarce availability of physical space, this imposing some constraints on the degree distributions. In a few words, spatial networks are different from other complex networks and as such they need to be studied in a different way.

In this paper we focus on a particular class of spatial networks: *networks of urban street patterns*. We consider a database of 1-square mile samples of different world cities and for each city we construct a spatial graph by associating nodes to street intersections and edges to streets. In this way, each of the nodes of the graph is given a location in a two-dimensional square, and a real number, representing the length of the corresponding street, is associated to each edge. By construction, the resulting graphs are *planar graphs*, i.e., graphs forming nodes whenever two edges cross. After a previous work on the distribution of centrality measures [21], here we present a comparative study of the basic properties of spatial networks of different city street patterns. In particular we evaluate the characteristics of the graphs both at a global and at a local scale. The main problem with spatial graphs is that, in most of the cases, the random graph or the complete graph are no more a good way to normalize the results. In fact, the common procedure in relational (nonspatial) complex networks is to compare the properties of the original graph derived from the real system with those of some randomized versions of the graph, i.e., of graphs with the same number of nodes and edges as the original one, but where the edges are distributed at random. This is, for instance, the standard way proposed by Watts and Strogatz in Ref. [5] to assess whether a real system is a small world. One quantifies the structural properties of the original graph by computing its characteristic path length L and clustering coefficient C , where L measures the typical separation between




FIG. 1. (Color online) The urban pattern of Savannah as it appears in the original map (top left), and reduced into a spatial graph (top right). We also report the corresponding MST (bottom left) and GT (bottom right) [32].

two vertices in the graph (a global property), whereas C measures the cliquishness of a typical neighborhood (a local property). Then, the graph is a small world if L assumes a value close to that obtained for the randomized version of the graph, L_{rand} , while the value of C is much larger than C_{rand} . Similarly, in the efficiency-based formalism proposed in Refs. [22,23], a small-world network is defined as a system being extremely efficient in exchanging information both at a global and at a local scale. Again, the values of global and local efficiency are compared with those obtained for a randomized version of the graph. A similar method is used in the counting of short cycles or specific motifs in a graph representing a real system [9]. The research of the motifs and cycles is based on matching algorithms counting the total number of occurrences of each motif and each cycle in the original graph and in the randomized ones. Then, a motif or a cycle is statistically significant if it appears in the original graph at a number much higher than in the randomized versions of the graph. In a planar graph, as those describing urban street patterns, the randomized version of the graph is not significant because it is almost surely a nonplanar graph due to the edge crossings induced by the random rewiring of the edges. Moreover, because of the presence of long-range edges, a random graph corresponds to an extremely costly street pattern configuration, where the cost is defined as the sum of street lengths [23]. The alternative is to compare urban street patterns with gridlike structures. Following Ref. [19], we shall consider both *minimum spanning trees* and *greedy triangulations* induced by the real distribution of nodes in the square. Spanning trees are the planar graphs with the minimum number of edges in order to assure connectedness, while greedy triangulations are graphs with the maximum number of edges compatible with the planarity. Spanning trees and greedy triangulations will serve as the

two extreme cases to normalize the structural measures we are going to compute.

The paper is organized as follows: In Sec. II we describe how the graphs are constructed from street patterns of different world cities, and we discuss some basic properties, such as graph size and cost. In Sec. III we introduce minimum spanning trees and greedy triangulations, two artificial classes of graphs induced by the same distribution of nodes in the unit square. Global and local measures found in the real and the artificial graphs are then compared in Sec. IV. Results are then discussed with particular attention to the correlation between the statistical properties investigated and the *a priori* known city classes (e.g., grid-iron or medieval).

II. NETWORKS OF URBAN STREET PATTERNS

The database we have studied consists of twenty 1-square-mile samples of different world cities, selected from the book by Jacobs [24]. We have imported the twenty maps into a GIS (Geographic Information System) environment and constructed the correspondent spatial graphs of street networks by using a road-centerline-between-nodes format [25]. Namely, each urban street pattern is transformed into an undirected, valued (weighted) graph $G=(\mathcal{N},\mathcal{L})$, embedded in the two-dimensional unit square. In Fig. 1 we show the case for the city of Savannah: in the upper-left panel we report the original map, and in upper-right panel the obtained graph. \mathcal{N} is the set of N nodes representing street intersections and characterized by their positions $\{x_i, y_i\}_{i=1,\dots,N}$ in the square. \mathcal{L} is the set of K edges representing streets. The edges follow the footprints of real streets and are associated a set of real positive numbers representing the street lengths, $\{l_k\}_{k=1,\dots,K}$. The graph is then described by the

TABLE I. Basic properties of the planar graphs obtained from the twenty city samples considered. N is the number of nodes, K is the number of edges, W and $\langle l \rangle$ are respectively the total length of edges and the average edge length (both expressed in meters), D_{box} is the box-counting fractal dimension.

	City	N	K	W	$\langle l \rangle$	D_{box}
1	Ahmedabad	2870	4387	121037	27.59	1.92
2	Barcelona	210	323	36179	112.01	1.99
3	Bologna	541	773	51219	66.26	1.95
4	Brasilia	179	230	30910	134.39	1.83
5	Cairo	1496	2255	84395	37.47	1.82
6	Irvine 1	32	36	11234	312.07	—
7	Irvine 2	217	227	28473	128.26	1.81
8	Los Angeles	240	340	38716	113.87	1.90
9	London	488	730	52800	72.33	1.94
10	New Delhi	252	334	32281	96.56	1.85
11	New York	248	419	36172	86.33	1.72
12	Paris	335	494	44109	89.29	1.88
13	Richmond	697	1086	62608	57.65	1.78
14	Savannah	584	958	62050	64.77	1.85
15	Seoul	869	1307	68121	52.12	1.87
16	San Francisco	169	271	38187	140.91	1.90
17	Venice	1840	2407	75219	31.25	1.81
18	Vienna	467	692	49935	72.16	1.88
19	Washington	192	303	36342	119.94	1.93
20	Walnut Creek	169	197	25131	127.57	1.80

adjacency $N \times N$ matrix A , whose entry a_{ij} is equal to 1 when there is an edge between i and j and 0 otherwise, and by a $N \times N$ matrix L , whose entry l_{ij} is equal to the length of the street connecting node i and node j . In this way both the topology and the geography (metric distances) of the system will be taken into account. A list of the considered cities is reported in Table I, together with the basic properties of the derived graphs. The considered cases exhibit striking differences in terms of cultural, social, economic, religious, and geographic contexts. In particular, they can be roughly divided into two large classes: (1) patterns grown throughout a largely self-organized, fine-grained historical process, out of the control of any central agency; (2) patterns realized over a short period of time as the result of a single plan, and usually exhibiting a regular gridlike, structure. Ahmedabad, Cairo, and Venice are the most representative examples of self-organized patterns, while Los Angeles, Richmond, and San Francisco are typical examples of mostly-planned patterns. We have selected two different parts of the city of Irvine, CA, (named Irvine 1 and Irvine 2) for two highly diverse kinds of urban fabrics: the first is a sample of an industrial area showing enormous blocks with few intersections while the second is a typical residential early Sixties “lollipop” low density suburb based on a treelike layout with a lot of dead-end streets. The differences between cities are already evident from the basic properties of the derived graphs. In fact, the number of nodes N , the number of edges K , and the cost of the wiring, defined as the sum of street lengths

$$W = \sum_{i,j} a_{ij} l_{ij}, \quad (1)$$

and measured in meters, assume widely different values, notwithstanding the fact that we have considered the same amount of land. Notice that Ahmedabad has 2870 street intersections and 4387 streets in a surface of 1 square mile, while Irvine has only 32 intersections and 37 streets. Ahmedabad and Cairo are the cities with the largest cost, while the cost is very small (less than 40 000 meters) in Barcelona, Brasilia, Irvine, Los Angeles, New Delhi, New York, San Francisco, Washington, and Walnut Creek. A large difference is also present in the average edge (street) length $\langle l \rangle$, that assumes the smallest values in cities as Ahmedabad, Cairo, and Venice, and the largest value in San Francisco, Brasilia, Walnut Creek, and Los Angeles. In Ref. [21] we have studied the edges length distribution $P(l)$ for the two different classes of cities, showing that self-organized cities show single peak distributions, while mostly planned cities exhibit a multimodal distribution, due to their grid pattern. We now have gone deeper into the characterization of the distributions of nodes (street intersections) in the unit square: we have calculated the fractal dimension of the distributions, by using the box counting method [26]. In all the samples, except Irvine 1 that is too small to draw any conclusion, we have found that the nodes are distributed on a fractal support with a fractal dimension ranging from 1.7 to 2.0. This result is similar to that obtained by Yook *et al.* for the spatial distribution of the nodes of the Internet, considered both at the level of routers and at the level of autonomous systems [12].

III. MINIMUM SPANNING TREES AND GREEDY TRIANGULATIONS

Planar graphs are those graphs forming vertices whenever two edges cross, whereas nonplanar graphs can have edge crossings that do not form vertices [27]. The graphs representing urban street patterns are, by construction, planar, and we will then compare their structural properties with those of minimally connected and maximally connected planar graphs. In particular, following Buhl *et al.* [19], we consider the minimum spanning tree (MST) and the greedy triangulation (GT) induced by the distribution of nodes (representing street intersections) in the square. The *minimum spanning tree (MST)* is the shortest tree which connects every node into a single connected component. By definition the MST is an acyclic graph that contains $K_{min}=N-1$ edges. This is the minimum number of edges in order to have all the nodes belonging to a single connected component [27]. At the other extreme, the maximum number of edges, K_{max} , that can be accommodated in a planar graph with N nodes (without breaking the planarity) is equal to $K_{max}=3N-6$ [28]. The natural reference graph should be then the *minimum weight triangulation (MWT)*, which is the planar graph with the highest number of edges K_{max} , and that minimize the total length. Since no polynomial time algorithm is known to compute the MWT, we thus consider the *greedy triangulation (GT)*, that is based on connecting couples of nodes in ascending order of their distance provided that no edge




FIG. 2. Average degree $\langle k \rangle$ and probability of having nodes with degree respectively equal to 1, 2, 3, 4, and 5 for the twenty cities considered. The cities are labeled from 1 to 20 as reported in Table I. The degree distribution $P(k)$ is defined as $P(k)=N(k)/N$, where $N(k)$ is the number of nodes having degree k .

crossing is introduced [29]. The GT is easily computable and leads to a maximal connected planar graph, while minimizing as far as possible the total length of edges considered.

To construct both the MST and the GT induced by the spatial distribution of points (nodes) $\{x_i, y_i\}_{i=1, \dots, N}$ in the unit square, we have first sorted out all the couples of nodes, representing all the possible edges of a complete graph, by ascending order of their length. Notice that the length of the edge connecting node i and node j is here taken to be equal to the Euclidean distance $d_{ij}^{\text{Eucl}} = \sqrt{(x_i - x_j)^2 + (y_i - y_j)^2}$. Then, to compute the MST we have used the Kruskal algorithm [30,31]. The algorithm consists in browsing the ordered list, starting from the shortest edge and progressing toward the longer ones. Each edge of the list is added if and only if the graph obtained after the edge insertion is still a forest or it is a tree. A forest is a disconnected graph in which any two elements are connected by at most one path, i.e., a disconnected ensemble of trees. (In practice, one checks whether the two end nodes of the edge are belonging or not to the same component.) With this procedure, the graph obtained after all the edges of the ordered list are considered is the MST. In fact, when the last edge is included in the graph, the forest reduces to a single tree. Since in the Kruskal algorithm an edge producing a crossing would also produce a cycle, following this procedure prevents for creating edge crossings. To compute the GT we have constructed a brute force algorithm based on some of the properties of planar GT [29]. The algorithm consists in browsing the ordered list of edges in ascending order of length, and checking for each edge whether adding it produces any intersections with any other edge already added [32].

For each of the twenty cities we have constructed the respective MST and GT. These two bounds make sense also as regards to the possible evolution of a city: the most primitive forms are close to trees, while more complex forms involve the presence of cycles. We can then compare the structural properties of the original graphs representing the city with those of the two limiting cases represented by MST and GT. As an example in Fig. 1 in the bottom-left and in the bottom-right panels we report respectively the MST and the GT obtained for the city of Savannah.

IV. RESULTS

In this section we propose a series of measures on the local and global properties of a graph. In particular, we consider degree distributions, meshedness coefficients, number of short cycles (of three, four, and five edges), global efficiency, and cost. We then compare real and artificial networks with particular attention to the characterization of groups of cities belonging to *a priori* known classes (as single planned or self-organized patterns).

A. Graph local properties

The degree of a node is the number of its direct connections to other nodes. In terms of the adjacency matrix, the degree k_i of node i is defined as $k_i = \sum_{j=1, N} a_{ij}$. In many real networks, the degree distribution $P(k)$, defined as the probability that a node chosen uniformly at random has degree k or, equivalently, as the fraction of nodes in the graph having degree k , significantly deviates from the Poisson distribution expected for a random graph and exhibits a power law (scale free) tail with an exponent γ taking a value between 2 and 3 [1,2,4]. As already mentioned in the Introduction, we do not expect to find scale-free degree distributions in planar networks because the node degree is limited by the spatial embedding. In particular, in the networks of urban street patterns considered, it is very improbable to find an intersection with more than 5 or 6 streets. In Fig. 2 we report the average degree $\langle k \rangle$, and the degree distribution $P(k)$ for k going from 1 to 5. The cities are labeled with an index going from 1 to 20, the same index we have used in Table I. In all the samples considered, the largest number of nodes have a degree equal to 3 or 4. Self-organized cities as Ahmedabad, Bologna, Cairo, and Venice have $P(k=3) > P(k=4)$, while the inverse is true for most of the single-planned cities as New York, San Francisco, and Washington, because of their square-grid structure. It is not the aim of this paper to discuss the meaning of such differences in terms of their possible impacts on crucial factors for urban life, such as pedestrian movement, way finding, land uses, or other cognitive or behavioral matters. However, it is worth noting that, for in-

stance, 3-arms and 4-arms street junctions are expected to perform very differently in human orienteering within an urban complex system due to the differences in the angle widths involved in each turn [33,34]. It is also interesting to notice the significative frequency of nodes with degree 1 in cities as Irvine and Walnut Creek. Such nodes correspond to the dead-end cul-de-sac streets typical of the suburban early Sixties lollipop layouts, which in turn leads to highly debated topics in the current discussion about safety and liveability of modern street patterns as opposite to more traditional ones [35,36].

Many complex networks show the presence of a large number of short cycles or specific motifs [1,2,4]. For instance, the so called local clustering, also known as transitivity, is a typical property of acquaintance networks, where two individuals with a common friend are likely to know each other [10]. The degree of clustering is usually quantified by the calculation of the *clustering coefficient* C , that is a measure of the fraction of triangles present in the network [5], or by the k clustering coefficient, that accounts for k neighbors [6]. Such quantities are not suited to characterize the local properties of a planar graph, since by a simple counting of the number of triangles present in the graph it is not possible to discriminate between different topologies. For instance, there are cases as diverse as trees, square-meshes, and honeycomb meshes, all having the same clustering coefficient equal to zero. Buhl *et al.* have proposed a more general measure of the structure of cycles (not restricted to cycles of length 3) in planar graphs, the so called *meshedness coefficient* M [19]. The meshedness coefficient is defined as $M = F/F_{max}$, where F is the number of faces (excluding the external ones) associated with a planar graph with N nodes and K edges, and expressed by the Euler formula in terms of number of nodes and edges as: $F = K - N + 1$. F_{max} is the maximum possible number of faces that is obtained in the maximally connected planar graph, i.e., in a graph with N nodes and $K_{max} = 3N - 6$ edges. Thus $F_{max} = 2N - 5$ and the meshedness coefficient can vary from zero (tree structure) to one (maximally connected planar graph, as in the GT [32]).

Here, we have evaluated the meshedness coefficient M for each of the twenty cities. In addition, we have counted the cycles of length three, four, and five by using the properties of powers of the adjacency matrix A . E.g., the number of cycles of length three is simply equal to $1/6\text{Tr}(A^3)$ [37]. We have denoted by C_k the number of cycles of length k in a given city, and by C_k^{GT} the same number in the corresponding GT. The results are reported in Table II. Three are the cities with a value of meshedness larger than 0.3: New York, Savannah, and San Francisco. These represent the most complex forms of cities. On the other hand, Irvine and Walnut Creek with a value of M lower than 0.1 have a treelike structure. Notice that both the first and the second group of cities are examples of planned urban fabrics. On the other hand, organic patterns such as Ahmedabad, Cairo, and Seoul also exhibit high values of meshedness, which means a considerable potential of local clustering. Thus, beside the suburban lollipop layout, both grid planned and organic self-organized patterns do show good local performances in terms of the local structural properties of the network: this is even more interesting if coupled with our previous finding that such two

TABLE II. Local properties of the graphs of urban street patterns. We report the meshedness coefficient M [19], and the number C_k of cycles of length $k=3,4,5$ normalized to the number of cycles in the GT, C_k^{GT} .

	City	M	C_3/C_3^{GT}	C_4/C_4^{GT}	C_5/C_5^{GT}
1	Ahmedabad	0.262	0.023	0.042	0.020
2	Barcelona	0.275	0.019	0.101	0.019
3	Bologna	0.214	0.015	0.048	0.013
4	Brasilia	0.147	0.029	0.027	0.012
5	Cairo	0.253	0.020	0.043	0.019
6	Irvine 1	0.085	0.035	0.022	0.005
7	Irvine 2	0.014	0.007	0.004	0.001
8	Los Angeles	0.211	0.002	0.075	0.011
9	London	0.249	0.011	0.060	0.020
10	New Delhi	0.154	0.011	0.020	0.011
11	New York	0.348	0.024	0.136	0.028
12	Paris	0.241	0.028	0.063	0.016
13	Richmond	0.279	0.034	0.068	0.022
14	Savannah	0.322	0.002	0.111	0.026
15	Seoul	0.253	0.021	0.051	0.021
16	San Francisco	0.309	0.003	0.148	0.003
17	Venice	0.152	0.016	0.030	0.010
18	Vienna	0.242	0.007	0.063	0.018
19	Washington	0.293	0.026	0.132	0.022
20	Walnut Creek	0.084	0.000	0.011	0.003

classes of patterns perform radically differently in terms of how centrality flows over the network, the former exhibiting power-law distributions while the latter single-scale exponential distributions [21]. In most of the samples we have found a rather small value of C_3/C_3^{GT} (as compared, for instance, to C_4/C_4^{GT}), denoting that triangles are not common in urban city patterns. This is another proof that the clustering coefficient C alone is not a good measure to characterize the local properties of such networks. Walnut Creek, Los Angeles, and Savannah are the cities with the smallest value of C_3/C_3^{GT} , while Irvine 1, Richmond, Brasilia, and Paris are the cities with the largest value of C_3/C_3^{GT} . In 17 samples out of 20 we have found $C_4/C_4^{GT} > C_3/C_3^{GT}$: Brasilia, Irvine 1, and Irvine 2 are the only cities having a prevalence of triangles with respect to squares. San Francisco, New York, Washington, Savannah, and Barcelona are the cities with the largest value of C_4/C_4^{GT} (larger than 0.1). Finally, concerning C_5/C_5^{GT} , we have found three classes of cities. Samples such as Ahmedabad, Cairo, Seoul, and Venice having $C_3/C_3^{GT} \approx C_5/C_5^{GT}$. Samples such as Brasilia, Irvine, and Paris with $C_3/C_3^{GT} > C_5/C_5^{GT}$, and samples as Los Angeles, Savannah, and Vienna with $C_3/C_3^{GT} < C_5/C_5^{GT}$.

B. Graph global properties

One of the possible mechanisms ruling the growth of an urban system is the achievement of efficient pedestrian and vehicular movements on a global scale. This has important

consequences on a number of relevant factors affecting the economic, environmental, and social performances of cities, ranging from accessibility to microcriminality and land uses [38]. The global efficiency of an urban pattern in exchanging goods, people, and ideas should be considered a reference when the capacity of that city to support its internal relational potential is questioned. It is especially important to develop a measure that allows the comparison between cases of different form and size, which poses a problem of normalization [39]. The global structural properties of a graph can be evaluated by the analysis of the shortest paths between all pairs of nodes. In a relational (unweighted) network the shortest path length between two nodes i and j is the minimum number of edges to traverse to go from i to j . In a spatial (weighted) graph, instead we define the shortest path length d_{ij} as the smallest sum of the edge lengths throughout all the possible paths in the graph from i to j [22,23]. In this way, both the topology and the geography of the system are taken into account. As a measure of the efficiency in the communication between the nodes of a spatial graph, we use the so called *global efficiency* E , a measure defined in Ref. [22] as

$$E = \frac{1}{N(N-1)} \sum_{i,j,i \neq j} \frac{d_{ij}^{\text{Eucl}}}{d_{ij}}. \quad (2)$$

Here, d_{ij}^{Eucl} is the distance between nodes i and j along a straight line, defined in Sec. III, and we have adopted a normalization recently proposed for geographic networks [40]. Such a normalization captures to which extent the connecting route between i and j deviates from the virtual straight line. In Table III we report the values of efficiency obtained for each city and for the respective MST and the GT. The values of E^{MST} and E^{GT} serve to normalize the results, being respectively the minimum and the maximum value of efficiency that can be obtained in a planar graph having the same number of nodes as in the original graph of the city [41]. Notice that Irvine 2 is the only case in which $E < E^{\text{MST}}$. This is simply due to the fact that Irvine 2 is the only city whose corresponding graph is not connected. Consequently, the MST has a smaller number of edges but a higher value of efficiency because it is, by definition, a connected graph. The main result is that the cities considered, despite their inherent differences, achieve a relatively high value of efficiency, which is in most of the cases about 80% of the maximum value of the efficiency in a planar graph, E^{GT} . Following Ref. [19] we define the relative efficiency E_{rel} as:

$$E_{\text{rel}} = \frac{E - E^{\text{MST}}}{E^{\text{GT}} - E^{\text{MST}}}. \quad (3)$$

Of course, the counterpart of an increase in efficiency is an increase in the cost of construction, i.e., an increase in the number and length of the edges. The cost of construction can be quantified by using the measure W defined in formula (1). Given a set of N nodes, the shortest (minimal cost) planar graph that connects all nodes corresponds to the MST, while a good approximation for the maximum cost planar graph is

TABLE III. The efficiency E of each city is compared to the minimum and maximum values of the efficiency obtained respectively for the MST and the GT. The cities are labeled from 1 to 20 as in Table I.

	City	E	E^{MST}	E^{GT}
1	Ahmedabad	0.818	0.351	0.944
2	Barcelona	0.814	0.452	0.930
3	Bologna	0.799	0.473	0.936
4	Brasilia	0.695	0.503	0.931
5	Cairo	0.809	0.385	0.943
6	Irvine 1	0.755	0.604	0.943
7	Irvine 2	0.374	0.533	0.932
8	Los Angeles	0.782	0.460	0.930
9	London	0.803	0.475	0.936
10	New Delhi	0.766	0.490	0.930
11	New York	0.835	0.433	0.931
12	Paris	0.838	0.473	0.938
13	Richmond	0.800	0.502	0.939
14	Savannah	0.793	0.341	0.922
15	Seoul	0.814	0.444	0.941
16	San Francisco	0.792	0.448	0.893
17	Venice	0.673	0.386	0.943
18	Vienna	0.811	0.423	0.937
19	Washington	0.837	0.452	0.930
20	Walnut Creek	0.688	0.481	0.938

given by the GT. We thus define a normalized cost measure, W_{rel} , as

$$W_{\text{rel}} = \frac{W - W^{\text{MST}}}{W^{\text{GT}} - W^{\text{MST}}}. \quad (4)$$

By definition the MST has a relative cost $W_{\text{rel}}=0$, while GT has $W_{\text{rel}}=1$. An interesting characterization of different city patterns can be obtained by the plot of E_{rel} as a function of W_{rel} reported in Fig. 3. In fact, the cities can be *a priori* divided into different classes: (1) medieval fabrics, including both Arabic (Ahmedabad and Cairo) and European (Bologna, London, Venice, and Vienna); (2) grid-iron fabrics (Barcelona, Los Angeles, New York, Richmond, Savannah, and San Francisco); (3) modernist fabrics (Brasilia and Irvine 1); (4) baroque fabrics (New Delhi and Washington); (5) mixed fabrics (Paris and Seoul); (6) lollipop layouts (Irvine 2 and Walnut Creek). The plot E_{rel} vs W_{rel} has a certain capacity to characterize the different classes of cities listed above. The plot indicates an overall increasing behavior of E_{rel} as function of W_{rel} , with a saturation at $E_{\text{rel}} \sim 0.8$ for values of $W_{\text{rel}} > 0.3$. Grid-iron patterns exhibit a high value of relative efficiency, about 70–80% of the efficiency of the GT, with a relative cost which goes from 0.24 to 0.4. The three grid-iron cities (New York, Savannah and San Francisco) with the largest value of efficiency, $E_{\text{rel}} \sim 0.8$, have respectively a cost equal to 0.342, 0.354, and 0.383. Medieval patterns have in general a lower cost and efficiency than grid-iron patterns although, in some cases as Ahmedabad and Cairo (the two




FIG. 3. (Color online) A plot of the relative efficiency, E_{rel} , as a function of the relative cost, W_{rel} , of a city, indicates a correlation between structural properties and *a priori* known classes of cities (as medieval, grid-iron, modernist, baroque, mixed, and lollipop fabrics). Each point in the plot represent a city. The point of coordinates (0,0) would correspond to the cost/efficiency of the MST while the point (1,1) would correspond to the GT network. Irvine 2, having coordinates (0.175,-0.398), i.e., a negative value of relative efficiency, has been plotted instead as having coordinates (0.175,0).

medieval cities with the largest efficiency), they can also reach a value of $E_{rel} \sim 0.8$ with a smaller cost equal to 0.29. Modernist and lollipop layouts are those with the smallest value of W but also with the smallest value of efficiency.

V. CONCLUSIONS

We have proposed a method to characterize both the local and the global properties of spatial graphs representing urban street patterns. Our results show that a comparative analysis on the structure of different world cities is possible by the

introduction of two limiting auxiliary graphs, the MST and the GT. A certain level of structural similarities across cities as well as some differences are well captured by counting cycles and by measuring normalized efficiency and cost of the graphs. The method can be applied to other planar graphs of different nature, as highway or railway networks.

ACKNOWLEDGMENTS

We thank J. Buhl, P. Crucitti, R.V. Solé, and S. Valverde for many helpful discussions and suggestions.

-
- [1] R. Albert and A.-L. Barabási, *Rev. Mod. Phys.* **74**, 47 (2002).
 [2] M. E. J. Newman, *SIAM Rev.* **45**, 167 (2003).
 [3] R. Pastor-Satorras and A. Vespignani, *Evolution and Structure of the Internet: A Statistical Physics Approach* (Cambridge University Press, Cambridge, 2004).
 [4] S. Boccaletti, V. Latora, Y. Moreno, M. Chavez, and D.-U. Hwang, *Phys. Rep.* **424**, 175 (2006).
 [5] D. J. Watts and S. H. Strogatz, *Nature (London)* **393**, 440 (1998).
 [6] B. Jiang and C. Claramunt, *Environ. Plan. B: Plan. Des.* **31**, 151 (2004).
 [7] A.-L. Barabási and R. Albert, *Science* **286**, 509 (1999).
 [8] R. Pastor-Satorras, A. Vázquez, and A. Vespignani, *Phys. Rev. Lett.* **87**, 258701 (2001).
 [9] R. Milo, S. Shen-Orr, S. Itzkovitz, N. Kashan, D. Chklovskii, and U. Alon, *Science* **298**, 824 (2002).
 [10] S. Wasserman and K. Faust, *Social Networks Analysis* (Cambridge University Press, Cambridge, 1994).
 [11] O. Sporns, *Complexity* **8**, 56 (2003).
 [12] S.-H. Yook, H. Jeong, and A.-L. Barabási, *Proc. Natl. Acad. Sci. U.S.A.* **99**, 13382 (2002).
 [13] V. Latora and M. Marchiori, *Phys. Rev. E* **71**, 015103(R) (2005).
 [14] R. Kinney, P. Crucitti, R. Albert, and V. Latora, *Eur. Phys. J. B* **46**, 101 (2005).
 [15] F. Pitts, *Profess. Geograph.* **17**, 15 (1965).
 [16] R. Guimerà, S. Mossa, A. Turttschi, and L. A. N. Amaral, *Proc. Natl. Acad. Sci. U.S.A.* **102**, 7794 (2005).
 [17] A. Barrat, M. Barthélemy, R. Pastor-Satorras, and A. Vespignani *Proc. Natl. Acad. Sci. U.S.A.* **101**, 3747 (2004).
 [18] S. Porta, P. Crucitti, and V. Latora, e-print physics/0506009, *Environ. Plan. B: Plan. Des.* (to be published).
 [19] J. Buhl, J. Gautrais, R. V. Solé, P. Kuntz, S. Valverde, J. L. Deneubourg, and G. Theraulaz, *Eur. Phys. J. B* **42**, 123 (2004).
 [20] M. T. Gastner and M. E. J. Newman, e-print cond-mat/0407680.
 [21] P. Crucitti, V. Latora, and S. Porta, *Phys. Rev. E* **73**, 036125 (2006); *Chaos* **16**, 015113 (2006).
 [22] V. Latora and M. Marchiori, *Phys. Rev. Lett.* **87**, 198701 (2001).
 [23] V. Latora and M. Marchiori, *Eur. Phys. J. B* **32**, 249 (2003).
 [24] A. Jacobs, *Great Streets* (MIT Press, Boston, MA, 1993).
 [25] N. Dalton, J. Peponis and R. Dalton, *To Tame a Tiger One Has to Know Its Nature: Extending Weighted Angular Integration Analysis to the Description of GIS Road-Centerline Data for Large Scale Urban Analysis*, Proceedings of the 4th International Space Syntax Symposium, London, UK, 2003.
 [26] S. H. Strogatz, *Nonlinear Dynamics and Chaos with Applications to Physics, Biology, Chemistry and Engineering* (Perseus, Cambridge, 1994).

- [27] D. B. West, *Introduction to Graph Theory* (Prentice Hall, Upper Saddle River, NJ, 1995).
- [28] B. Bollobás, *Modern Graph Theory* (Graduate Texts in Mathematics, Springer-Verlag, New York, 1998).
- [29] M. T. Dikerson, R. L. S. Drysdale, S. A. McElfresh, and E. Welzl, *Comput. Geom.* **8**, 67 (1997).
- [30] T. H. Cormen, C. E. Leiserson, R. L. Rivest, and C. Stein, *Introduction to Algorithms* (MIT University Press, Cambridge, 2001).
- [31] J. B. Kruskal, *Proc. Am. Math. Soc.* **2**, 48 (1956).
- [32] In the computed GT, the graphs we have obtained have less than $3N-6$ edges. This is due to the fact that we have considered all the edges as being straight lines connecting the two end nodes. For such a reason some of edges connecting the external nodes (the nodes on the border of the unit square) cannot be placed without causing edge crossings. However, the number of these edges is of the order of \sqrt{N} , so that in large GT graphs the meshedness is close to 1.
- [33] R. Dalton, *Environ. Behav.* **35**, 107 (2003).
- [34] B. Hillier and I. Shinichi, paper presented at COSIT 2005, Conference on Spatial Information Theory, Sept. 14–18, Ellcottville, New York.
- [35] M. Southworth and E. Ben-Joseph, *Streets and the Shaping of Towns and Cities* (Island Press, Washington, D.C., 2003).
- [36] S. Marshall, *Streets and Patterns* (Routledge, London, UK, 2004).
- [37] N. Alon, R. Yuster, and U. Zwick, *Algorithmica* **17**, 209 (1997).
- [38] A. Penn, *Environ. Behav.* **35**, 30 (2003).
- [39] J. A. Tekleburg, H. J. Timmermans, and A. F. Van Wageningen, *Environ. Plan. B: Plan. Des.* **20**, 347 (1993).
- [40] I. Vragovic, E. Louis, and A. Diaz-Guilera, *Phys. Rev. E* **71**, 036122 (2005).
- [41] Notice that, if we change by a little amount the location of some of the nodes of a graph, we get a MST different from the original one. Nevertheless, we have checked that the two MSTs have a very similar value of efficiency.